



Becker & Hüser GmbH
Steinheide 13
47665 Sonsbeck

Telefon: +49 2838 91788

kabelreparatur.eu

info@kabelreparatur.eu



Reparaturen und Konfektion von Kabel, Leitungen & LWL
Zertifiziert nach DIN EN ISO 9001 & 45001

Becker & Hüser GmbH | Steinheide 13 | 47665 Sonsbeck

To all cable suppliers of Becker & Hüser GmbH
with a request to distribute to the relevant departments
in your company.

11.05.2026

Notice Regarding the Delivery of Cable Drums

Dear Sir or Madam,

In the interest of occupational safety, proper load securing, and to avoid material and personal damages, we kindly ask you to observe the following requirements when delivering cable drums to our site.

1. General Principles

The delivery and handling of cable drums must be carried out in accordance with generally accepted technical standards and the legal requirements for load securing. In particular, the following apply:

- § 22 German Road Traffic Regulations (StVO) – load securing
- VDI Guideline 2700 – securing of loads on road vehicles

2. Delivery Requirements

Due to repeated accident incidents and the resulting occupational safety assessments, the following binding regulations apply with immediate effect:

- **Cable drums with a diameter of up to 1.20 m may also lying flat and on a suitable stable board / pallet** (e.g. Euro pallet) be delivered, unloaded and handled.
- **Cable drums with a diameter exceeding 1.20 m must be delivered exclusively in an upright position and on suitable wooden or load distribution frames.**

Delivery without a suitable base structure, with insufficient securing, or in a non-compliant position (e.g. free-standing without a frame or lying without a board) is **not permitted.**

3. Acceptance of Goods

Cable drums not delivered in accordance with these requirements cannot be **accepted** for reasons of occupational, accident and loading safety.

In such cases, the goods will be **returned at the expense and risk of the sender.**



4. Purpose of the Regulation

This measure serves to protect all parties involved – in particular our employees, your drivers and the transport vehicles used – and ensures safe and smooth processing in goods receipt.

We kindly request **strict compliance** with these delivery conditions and thank you for your cooperation.

Yours sincerely,

Sebastian Kolmans
Managing Director

Please also refer to the illustrated examples of correct and incorrect delivery of cable drums on the following pages.



Examples of correct delivery:



These drums are positioned correctly on the loading area. The flange / disc of the drum is visible.



This drum has a diameter of less than 120 cm and may accordingly be delivered upright on a pallet.



This drum also has a diameter of less than 120 cm and may accordingly also be delivered lying flat on a pallet.



This drum has a diameter greater than 120 cm and was delivered upright on a suitable wooden or load distribution frame.



Examples of incorrect delivery:



These drums are positioned the wrong way around. The drums must stand on the loading area so that the flange / disc is visible.



The drum has a diameter greater than 120 cm and was delivered lying flat on a pallet.



In this case too, the right drum is too large for the pallet. Drums must not exceed 120 cm in diameter when delivered on a pallet.



These goods were delivered loose. They should have been delivered on a pallet with a frame.

